

Table 1.20A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	41,195	41,417	1,698	1,704	39,440	39,654
AGE						
18-49	27,498	26,799	1,442	1,396	26,004	25,373
18-25	6,043	6,151	442	410	5,592	5,734
26-34	8,248	7,879	488	443	7,742	7,430
35-49	13,207	12,769	512	543	12,670	12,209
GENDER/AGE						
Male 18 or Older	15,614	16,461	1,048	912	14,541	15,530
Male 18-49	10,860	10,620	863	788	9,977	9,824
Female 18 or Older	25,581	24,956	650	792	24,898	24,124
Female 18-49	16,637	16,179	578	608	16,027	15,550

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.20B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	18.1	18.1	33.1	31.3	17.8	17.8
AGE						
18-49	20.7	20.2	32.2	28.5	20.3	19.9
18-25	18.0	18.1	23.6	23.3	17.7	17.8
26-34	22.8	21.6	37.4	28.9	22.3	21.3
35-49	20.9	20.6	39.3	34.0	20.5	20.2
GENDER/AGE						
Male 18 or Older	14.2	14.8	27.8	24.2	13.8	14.5
Male 18-49	16.4	16.1	26.7	23.0	15.9	15.7
Female 18 or Older	21.8	21.1	47.4	47.2	21.5	20.7
Female 18-49	24.9	24.3	46.2	41.3	24.5	23.9

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.21A (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	8,383 ^a	9,334	459	557	7,909	8,776
AGE						
18-49	5,982	6,466	390	472	5,577	5,994
18-25	1,124 ^b	1,334	111	81	1,013 ^b	1,253
26-34	1,827	1,859	130	211	1,697	1,648
35-49	3,031	3,273	149	180	2,868	3,093
GENDER/AGE						
Male 18 or Older	2,847	3,351	223	242	2,609	3,109
Male 18-49	2,068	2,352	205	210	1,847	2,142
Female 18 or Older	5,535	5,983	235	316	5,300	5,667
Female 18-49	3,914	4,114	184	262	3,730	3,851

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.21B (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	3.7	4.1	8.9	10.2	3.6	3.9
AGE						
18-49	4.5	4.9	8.7	9.6	4.4	4.7
18-25	3.3 ^a	3.9	5.9	4.6	3.2 ^b	3.9
26-34	5.0	5.1	10.0	13.8	4.9	4.7
35-49	4.8	5.3	11.4	11.3	4.6	5.1
GENDER/AGE						
Male 18 or Older	2.6	3.0	5.9	6.4	2.5	2.9
Male 18-49	3.1	3.6	6.4	6.1	3.0	3.4
Female 18 or Older	4.7	5.1	17.2	18.8	4.6	4.9
Female 18-49	5.9	6.2	14.7	17.8	5.7	5.9

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.